



# VULCAN ACHIEVER CHARBROILER—VACB MODELS

## Standard Features:

- Stainless steel sides, control panel, back, top trim and grease trough for easy clean-up
- One powerful 18,000 BTU/hr burner in each 6" broiler section with infinite control manual gas valves
- Performance enhancing supercharger plates
- Standing pilot ignition system
- 11 ½" working height allows unit to be installed on refrigerated bases and with the whole line of Achiever Hotplates and Vulcan Griddles
- Best temperature profile of charbroilers in its class—more useable heat (550° F - 700° F)
- One year parts and labor warranty



VACB47

NOTE: VACB units come standard with the Cast Diamond Grate. If you want a different style as original equipment please submit a PVR through customer service.

Model Number	Total BTUs	Number of Grates	Dimensions W x D x H	6" High Backsplash	
				lbs	kg
VACB20	60,000	3	20 ½" X 33" X 17 ¾"	225	103
VACB25	72,000	4	25 ¾" X 33" X 17 ¾"	290	131
VACB36	108,000	6	36 ½" X 33" X 17 ¾"	370	167
VACB47	144,000	8	46 ¾" X 33" X 17 ¾"	450	203
VACB60	198,000	11	60 ⅝" X 33" X 17 ¾"	500	225
VACB72	234,000	13	72 ⅝" X 33" X 17 ¾"	700	318

Freight Classification: VACB60 & VACB72—85, All others—100

## VACB Accessories

Model Number	12" Plate Rail	Condiment Rail		Cutting Board	Backsplash
	Accessory Code	Accessory Code	1/6 Size Pans	Accessory Code	Accessory Code
VACB20	PLTRAIL-ACB20	N/A	N/A	N/A	BCKSPLSH-ACB20
VACB25	PLTRAIL-ACB25	CONRAIL-ACB25	3	CUTBD-ACB25	BCKSPLSH-CB25
VACB36	PLTRAIL-ACB36	CONRAIL-ACB36	5	CUTBD-ACB36	BCKSPLSH-CB36
VACB47	PLTRAIL-ACB47	CONRAIL-ACB47	6	CUTBD-ACB47	BCKSPLSH-CB47
VACB60	PLTRAIL-ACB60	CONRAIL-ACB60	8	CUTBD-ACB60	BCKSPLSH-CB60
VACB72	PLTRAIL-ACB72	CONRAIL-ACB72	10	CUTBD-ACB72	BCKSPLSH-CB72

## VACB Charbroiler Grates

Description	Accessory Code
Round rod fabricated ½"	GRATE-RR724
Cast diamond grate std.	GRATE-CDIA24
Diamond fabricated grate	GRATE-DIA24
Cast straight grate std.	GRATE-CSTR24
Griddle plate accessory	GRATE-GRID24


**VULCAN**

# VULCAN VCCB SERIES LOW PROFILE CHARBROILERS

## Standard Features:

- 14,500 BTU/hr aluminized steel bar burners in each 6" section
- Standing pilot ignition system with infinite control gas valve burner controls
- Full width grease drawers
- 13" overall working height on 4" adjustable legs
- Heavy duty cast iron reversible broiling grates
- Stainless steel sides, control panel, top rim, backsplash and full width grease trough
- ¾" rear gas connection with pressure regulator
- One year parts and labor standard



VCCB47

Model Number	Total BTUs	Number of Grates	Dimensions W X D X H	Approx. Shipping Wt.	
				lbs	kg
VCCB25	58,000	4	25 ¼" x 27 ¼" x 12"	290	131
VCCB36	87,000	6	36" x 27 ¼" x 12"	370	167
VCCB47	116,000	8	46 ¾" x 27 ¼" x 12"	450	203
VCCB60	159,000	11	60" x 27 ¼" x 12"	500	225
VCCB72	188,500	13	72" x 27 ¼" x 12"	550	248

Freight Classification: VCCB60 &amp; VCCB72-85, All others-100

## VCCB Stands & Accessories

Model Number	Stainless Steel Stand with Marine Edge—Casters	Stainless Steel Stand with Marine Edge—Flanged Legs	6" High Backsplash	10" Plate Rail	Supercharger Kit
	Accessory Code	Accessory Code	Accessory Code	Accessory Code	Accessory Code
VCCB25	STAND/C-VCCB25	STAND/F-VCCB25	BCKSPLH-CB25	PLTRAIL-VCCB25	SUPERCHG-SCB25C
VCCB36	STAND/C-VCCB36	STAND/F-VCCB36	BCKSPLH-CB36	PLTRAIL-VCCB36	SUPERCHG-SCB36C
VCCB47	STAND/C-VCCB47	STAND/F-VCCB47	BCKSPLH-CB47	PLTRAIL-VCCB47	SUPERCHG-SCB47C
VCCB60	STAND/C-VCCB60	STAND/F-VCCB60	BCKSPLH-CB60	PLTRAIL-VCCB60	SUPERCHG-SCB60C
VCCB72	STAND/C-VCCB72	STAND/F-VCCB72	BCKSPLH-CB72	PLTRAIL-VCCB72	SUPERCHG-SCB72C

Description	Accessory Code
Round rod fabricated grate	GRATE-RR0D7
Round rod fabricated grate—six rib	GRATE-RR0D6
Cast diamond grate std.	GRATE-CDIA7
Cast diamond grate—six rib	GRATE-CDIA6
S.S. diamond fabricated grate	GRATE-DIA7
S.S. diamond fabricated grate—four rib	GRATE-DIA4
Cast straight grate std.	GRATE-CSTR7
Cast straight grate—six rib	GRATE-CSTR6
Cast waffle grate—each	GRATE-WAFFLE




**VULCAN**

# VULCAN ACHIEVER HOTPLATES—VHP UNITS

## Standard Features:

- 30,000 BTU/hr two-piece lift off burners offer superior heat distribution for heavy sauté applications
- Standing pilot ignition with infinite control manual gas valve control
- Heavy duty cast iron top grates are designed to support heavy pans and stockpots
- Fully welded steel chassis delivers strength to a unit that must perform in a punishing work environment
- Two burner, four burner, six burner and eight burner head configurations that will meet a chef's exacting standards
- Step-up, half hot top on rear burners and full hot top configurations are available in all sizes
- A heavy duty counter line that can be customized to the chef's cooking style and unique workstation requirements
- One year parts and labor warranty

Model Number	Approx. Shipping Wt.	
	lbs	kg
VHP212*	148	67
VHP424*	224	101
VHP636*	291	132
VHP848	310	140
VHP212U	148	67
VHP424U	224	101
VHP636U	291	132
VHP848U	310	140
VHP212H	148	67
VHP424H	224	101
VHP636H	291	132
VHP848H	310	140
VHP212H-F	148	67
VHP424H-F	224	101
VHP636H-F	291	132
VHP848H-F	310	140

Freight Classification: 85

\*Standard Hot Plates

"U" = Step-Up Models "H" = Half Hot Top Models "H-F" = Full Hot Top Models



VHP636

Shown with step-up option and half hot top option

Model Size	12" Plate Rail	Condiment Rail		Cutting Board
	Accessory Code	Accessory Code	1/6 Size Pans	Accessory Code
12"	PLTRAIL-AHP12	N/A	N/A	N/A
24"	PLTRAIL-AHP24	CONRAIL-AHP24	3	CUTBD-AHP24
36"	PLTRAIL-AHP36	CONRAIL-AHP36	5	CUTBD-AHP36
48"	PLTRAIL-AHP48	CONRAIL-AHP48	6	CUTBD-AHP48

NOTE: Integrated stand available as SEF—Consult factory.