



# HOLDING & TRANSPORT INSULATED CABINETS



Designed to keep foods hot and delicious from cooking to serving. With quality features like energy-efficient cabinet design for quicker preheating and recovery times and rugged construction, you'll find our Holding & Transport Cabinets a valuable addition to your operation.

## VBP INSTITUTIONAL SERIES

Ideal for Schools, Restaurants and Hospitals.

### Standard Features:

- Structural components are 100% stainless steel
- Field reversible doors
- Welded steel frame
- Accepts 18" x 26" or 12" x 20" pans
- Blower provides superior heat distribution and recovery
- (4) 5" casters—2 swivel with locks and 2 rigid (3" casters with VBP5)



Model Number	Dimensions (W x D x H)	Capacity		Electrical			Approx. Shipping Wt.		List Price	Opt. Ext. Warranty (NET)
		18" x 26" Sheet Pans	12" x 20" Hotel Pans	Volts	Watts	Amps	lbs	kg		
VBP5*	27" x 34" x 30½"	5	10	120	1,000	8.3	173	79	\$5,260	\$220
VBP7*	27" x 34" x 40"	7	14	120	1,000	8.3	198	90	\$6,570	\$220
VBP13*	27" x 34" x 61"	13	26	120	1,200	10	270	123	\$7,860	\$220
VBP15*	27" x 34" x 66½"	15	30	120	1,200	10	297	135	\$8,590	\$220
VBP7SL**	27" x 34" x 40"	7	14	120	1,000	8.3	198	90	\$6,570	\$220
VBP15SL**	27" x 34" x 66½"	15	30	120	1,200	10	297	135	\$8,590	\$220
VBP7LL***	27" x 34" x 40"	15	N/A	120	1,000	8.3	198	90	\$6,570	\$220
VBP15LL***	27" x 34" x 66½"	30	N/A	120	1,200	10	297	135	\$8,590	\$220

\*Base model includes fully adjustable tray slides.

\*\*SL models include adjustable shelves.

\*\*\*LL models include fixed lipload racking.

Freight Classification: 100

Lipload Racking Now Available on LL Models



## VPT PASS THROUGH SERIES

### Most Durable Pass Through Available.

Designed from the ground up to be the strongest, most durable pass through heated cabinets available. The integrated frame design provides the strength of a reach-in cabinet with the flexibility of a pass through.



#### Standard Features:

- Structural components are 100% stainless steel
- Blower provides superior heat distribution and recovery
- Dutch doors front and back
- (4) 5" casters—2 swivel with locks and 2 rigid
- Welded steel frame



Model Number	Dimensions (W x D x H)	Capacity		Electrical			Approx. Shipping Wt.		List Price	Opt. Ext. Warranty (NET)
		18" x 26" Sheet Pans	12" x 20" Hotel Pans	Volts	Watts	Amps	lbs	kg		
VPT7*	27" x 34" x 40"	7	14	120	1,000	8.3	198	90	\$7,190	\$220
VPT13*	27" x 34" x 61"	13	26	120	1,200	10	270	123	\$8,480	\$220
VPT15*	27" x 34" x 66½"	15	30	120	1,200	10	297	135	\$9,220	\$220
VPT7SL**	27" x 34" x 40"	7	14	120	1,000	8.3	198	90	\$7,190	\$220
VPT15SL**	27" x 34" x 66½"	15	30	120	1,200	10	297	135	\$9,220	\$220
VPT7LL***	27" x 34" x 40"	15	N/A	120	1,000	8.3	198	90	\$7,190	\$220
VPT15LL***	27" x 34" x 66½"	15	N/A	120	1,200	10	297	135	\$9,220	\$220

\*Base model includes fully adjustable tray slides.

\*\*SL models include adjustable shelves.

\*\*\*LL models include fixed lipload racking.

Freight Classification: 100

## OPTIONS & ACCESSORIES

### VBP Series and VPT Pass Through Series

Option	Available on	List Price
Electronic Controls 120 V Only	All VBP and VPT Cabinets	\$438
208/240 V, 50/60 Hz Change	All VBP and VPT Cabinets	\$310
Left Hand Hinged Front	All VBP and VPT Cabinets	\$88
Left Hand Hinged Back	All VPT Cabinets	\$88
Glass Door(s) Front	VBP7 and VPT7	\$748
	VBP15* and VPT15*	\$1,490
Glass Door(s) Rear	VPT7	\$748
	VPT15*	\$1,490
Full Perimeter Bumper	All VBP and VPT Cabinets	\$380

\*2 dutch doors.

Lipload Racking  
Now Available  
on LL Models

Accessory	Accessory Code	List Price
Transport Latch (Field Installed)	TRANS-LATCH	\$184
Humidity Pan	PAN-HMD	\$88
Universal Tray Slide Pair	VI/PAN-SLIDES	\$80
Wire Shelf to Sit on Tray Slides	RACK-FLAT	\$88

NOTE: See page 58 for caster options.



## VHP SERIES

### Standard Features:

- Structural components are 100% stainless steel
- Field reversible doors
- Removable pan supports
- Accepts 12" x 20" hotel steam pans
- Blower provides superior heat distribution and recovery
- (4) 5" casters—2 swivel with locks and 2 rigid

Model Number	Dimensions (W x D x H)	Capacity 12" x 20" Hotel Pans	Electrical			Approx. Shipping Wt.		List Price	Opt. Ext. Warranty (NET)
			Volts	Watts	Amps	lbs	kg		
VHP7	17¼" x 27½" x 36¾"	7	120	600	5	140	64	\$4,820	\$220
VHP15	17¼" x 27½" x 60½"	15	120	1,200	10	196	89	\$6,890	\$220

Freight Classification: 100



VHP15

## OPTIONS & ACCESSORIES

### VHP Series

Option	List Price
Electronic Controls 120 V Only	\$438
208/240 V, 50/60 Hz Change	\$310
Left Hand Hinged Front	\$88
Full Perimeter Bumper	\$380

Accessory	Accessory Code	List Price
Humidity Pan	PAN-HMD	\$88

NOTE: See page 58 for caster options.

## NON-INSULATED PROOFING & HOLDING CABINETS

### VP SERIES

### Standard Features:

- Structural components are 100% stainless steel
- Blower and air tunnel for superior heat distribution
- Adjustable tray slides
- Switch to convert from proofing to holding mode
- ½-gallon water pan
- Drip trough and water collection pan
- Glass door
- (4) 5" casters—2 swivel with locks and 2 rigid



VP18

Model Number	Dimensions (W x D x H)	Capacity		Electrical			Approx. Shipping Wt.		List Price
		18" x 26" Sheet Pans	12" x 20" Hotel Pans	Volts	Watts	Amps	lbs	kg	
VP18	25¼" x 30¾" x 71"	18	36	120	2,000	16.7	236	107	\$4,680

Freight Classification: 100

## ACCESSORIES

### VP Series

Accessory	Accessory Code	List Price
Universal Tray Slide Pair	VI/PAN-SLIDES	\$80



## VHFA SERIES

### Standard Features:

- Structural components are 100% stainless steel
- Blower and air tunnel for superior heat distribution
- Fixed tray slides on 3" centers
- Glass door
- (4) 5" casters—2 swivel with locks and 2 rigid



VHFA9

VHFA18

Model Number	Dimensions (W x D x H)	Capacity		Electrical			Approx. Shipping Wt.		List Price
		18" x 26" Sheet Pans	12" x 20" Hotel Pans	Volts	Watts	Amps	lbs	kg	
VHFA9	25¼" x 30¾" x 44½"	9	18	120	1,200	10	170	77	\$3,770
VHFA18	25¼" x 30¾" x 71"	18	36	120	2,000	16.7	220	100	\$4,290

Freight Classification: 100

## ROOM SERVICE CARTS

### RS SERIES

### Standard Features:

- Structural components are 100% stainless steel
- 270° door swing
- Non-marking corner bumpers
- 3-sided top rail
- 1-piece removable tray slides
- (4) 5" casters—2 swivel with locks and 2 rigid



RS-10

Shown with optional full perimeter bumper.

Model Number	Dimensions (W x D x H)	Capacity	Approx. Shipping Wt.		List Price
			lbs	kg	
RS-10	28" x 34½" x 42½"	(10) 14" x 18" or 15" x 20" Trays	120	55	\$3,920
RSP-10	28" x 34½" x 42½"	(10) 14" x 18" or 15" x 20" Trays	120	55	\$4,570

Freight Classification: 100

## OPTIONS

### RS Series

Option	List Price
Full Perimeter Bumper	\$380



# DRAWER WARMERS

## STANDARD BUILT-IN & FREESTANDING MODELS

**Standard Features:**

- Structural components are 100% stainless steel
- Separate heaters and thermostatic controls for each drawer
- Drawers are removable for easy cleaning
- 4" adjustable stainless steel legs (field installed)
- Heavy duty drawer frame allows pan to lift up straight
- Optional trim ring available for built-in applications
- Lifetime warranty on heating elements and drawer rollers



Model Number	Dimensions (W x D x H)	Capacity	Electrical			Approx. Shipping Wt.		List Price	Opt. Ext. Warranty (NET)
		12" x 20" Hotel Pans	Volts	Watts	Amps	lbs	kg		
VW1S	27½" x 23½" x 11¼"	1	120	475	4	90	41	\$2,540	\$170
VW2S	27½" x 23½" x 20"	2	120	950	8	135	61	\$4,110	\$320
VW3S	27½" x 23½" x 28¾"	3	120	1,425	12	180	82	\$5,690	\$320

NOTE: Add 5" to the freestanding height with legs installed.

Freight Classification: 100

## OPTIONS & ACCESSORIES

**Standard Drawer Warmers (Built-In Trim Kit)**

Accessory	Accessory Code	List Price
Trim Kit to Convert to 1 Drawer Built-In Model	TRIMKIT-1DW	\$48
Trim Kit to Convert to 2 Drawer Built-In Model	TRIMKIT-2DW	\$58
Trim Kit to Convert to 3 Drawer Built-In Model	TRIMKIT-3DW	\$74

NOTE: See page 58 for caster options.

Option	Available on	List Price
208/240 V, 50/60 Hz Change	All Models	\$310



## SLIM-LINE BUILT-IN & FREESTANDING DRAWER WARMERS

### Standard Features:

- Structural components are 100% stainless steel
- Separate heaters and thermostatic controls for each drawer
- Drawers are removable for easy cleaning
- 120 V, 60 Hz, 1-Phase
- 4" adjustable stainless steel legs (field installed)
- 6' cord and plug

Model Number	Dimensions	Capacity 12" x 20" Hotel Pans	Electrical			Approx. Shipping Wt.		List Price	Opt. Ext. Warranty (NET)
	(W x D x H)		Volts	Watts	Amps	lbs	kg		
VW1C	20½" x 26¼" x 11"	1	120	475	4	100	45	\$2,540	\$170
VW2C	20½" x 26¼" x 21½"	2	120	950	8	142	64	\$4,110	\$320

NOTE: Add 5" to the freestanding height with legs installed.

Freight Classification: 100

## OPTIONS & ACCESSORIES

### Slim-Line Drawer Warmers (Built-In Trim Kit)

Accessory	Accessory Code	List Price
Trim Kit to Convert to 1 Drawer Built-In Model	TRIMKIT-1LP	\$48
Trim Kit to Convert to 2 Drawer Built-In Model	TRIMKIT-2LP	\$58

NOTE: See page 58 for caster options.

Option	Available on	List Price
208/240 V, 50/60 Hz Change	All Models	\$310

## CHIP WARMERS

### Standard Features:

- Top-load style
- First-in/first-out design
- 22- and 44-gallon capacities
- Clamp-on removable heating module
- 1,250 watts for fast heating



VCD22



VCD44

Model Number	Dimensions	Capacity Gallons	Electrical			Approx. Shipping Wt.		List Price	Opt. Ext. Warranty (NET)
	(W x D x H)		Volts	Watts	Amps	lbs	kg		
VCD22	24¼" x 27¾" x 21½"	22	120	1,250	10.5	115	52	\$4,120	\$170
VCD44	24¼" x 27¾" x 39¼"	44	120	1,250	10.5	160	73	\$5,880	\$320

Freight Classification: 100



## CASTER KITS

Accessory	Accessory Code	List Price
3" Caster Kit—2 Swivel with Locks and 2 Rigid	WP1143-CASTER	\$128
5" Caster Kit—2 Swivel with Locks and 2 Rigid	WP1145-CASTER	\$128
5" Caster Kit—4 Swivel with Locks	WP83-CASTER	\$128
6" High Modulus Kit—4 Swivel with Locks	WP774-CASTER	\$316

NOTE: All models (except VBP5I) with casters ship with 5" casters. VBP5I ships with 3" casters.  
Accessory caster kits fit all models except chip warmers.

## CORRECTIONAL HOLDING CABINETS

Security, Durability, Performance.

### Standard Features:

- Integral dual layer fully welded steel frame
- 3 fully welded 12-gauge hinges
- 12-gauge lockable transport latch
- Top-mounted forced air heating system
- Fully welded removable tray slides
- Lexan™ covered digital thermometer



CBFT

Model Number	Dimensions (W x D x H)	Capacity		Electrical			Approx. Shipping Wt.		List Price	Opt. Ext. Warranty (NET)
		18" x 26" Sheet Pans	12" x 20" Hotel Pans	Volts	Watts	Amps	lbs	kg		
CBFTHS	28" x 34½" x 45"	6	12	120	1,000	10	375	170	\$8,590	\$320
CBFT	28" x 34½" x 72"	12	24	120	1,000	10	450	205	\$10,430	\$320

Freight Classification: 100

## OPTIONS

Option	List Price
No Racking (Stacked Trays)	Deduct \$500